













Dimension	Betriebskennung	Einsatz	Profil	Artikel-Nr.	EAN	M+S					Achsposition	Förderfähig		Rollgeräusch (1 Schallwelle=30%)	Rollwiderstand (A=50%; B=40%; C=30%)	Zuwendungs- fähig, Kumuliert²	Förderung	
												nach 1.3	nach 1.9					
LLKW																		
16"																		
6.50 R16	108/107M	REGIONAL	KRS02	1852113	8808956069391			E	B	71	2	STEER						
7.00 R16	113/112M	REGIONAL	KRS02	1821713	8808956063559			D	B	71	2	STEER						
7.50 R16	121/120M	REGIONAL	KRS02	2114113	8808956096663			C	A	71	2	STEER		O	30%	30%	80%	
ANHÄNGER / AUFLIEGER																		
15"																		
7.50 R15	135/133J	REGIONAL	KRT01	2202763	8808956157333			D	B	70	1	TRAILER		O	30%	30%	80%	
8.25 R15	143/141J	REGIONAL	KRT01	2202783	8808956157357			D	B	70	1	TRAILER		O	30%	30%	80%	
17.5"																		
9.5 R17.5	143/141J	REGIONAL	KRT02	1661413	8808956034504	JA		D	B	73	2	TRAILER	O			100%	80%	
205/65R17.5	127/125J	REGIONAL	KRT02	1885413	8808956079468	JA		D	B	73	2	TRAILER	O			100%	80%	
215/75R17.5	135/133J	REGIONAL	KRT03	2146833	8808956121600			D	B	71	2	TRAILER						
235/75R17.5	143/141J	REGIONAL	KRT03	2152753	8808956129446			D	B	71	2	TRAILER						
245/70R17.5	136/134M	REGIONAL	KRS03	2135973	8808956115388			D	A	73	2	STEER						
19.5"																		
245/70R19.5	143/141J	REGIONAL	KRT02	2235733	8808956240356	JA		D	B	73	2	TRAILER	O			100%	80%	
265/70R19.5	143/141J	MIXED SERVICE	KMT01	2235663	8808956240288	JA		E	A	73	2	TRAILER	O			100%	80%	
265/70R19.5	143/141J	REGIONAL	KRT03	2235963	8808956240585			D	B	71	2	TRAILER						
285/70R19.5	150/148J	REGIONAL	KRT02	2235863	8808956240486			D	C	73	2	TRAILER						
435/50R19.5	160J	LONG HAUL	KLT03	2235993	8808956240615	JA		C	B	74	2	TRAILER	O			100%	80%	
445/45R19.5	160J	LONG HAUL	KLT03	2235973	8808956240592	JA		C	B	74	2	TRAILER	O			100%	80%	
22.5"																		
385/55R22.5	160J	LONG HAUL	KLT03	2213523	8808956213886	JA		C	B	74	2	TRAILER	O			100%	80%	
385/65R22.5	158L	REGIONAL	KRT68	2205763	8808956164560			D	B	71	2	TRAILER						
LKW																		
17.5"																		
8 R17.5	117/116L	REGIONAL	KRS03	1693913	8808956042271			E	B	73	2	STEER						
8.5 R17.5	121/120M	REGIONAL	KRD02	1664413	8808956033637	JA		E	B	76	2	DRIVE						
8.5 R17.5	121/120M	REGIONAL	KRS03	1655713	8808956033620			E	B	73	2	STEER						
9.5 R17.5	129/127L	REGIONAL	KRD02	1663913	8808956033651	JA		E	B	76	2	DRIVE						
9.5 R17.5	129/127L	REGIONAL	KRS03	1661313	8808956034481			E	C	73	2	STEER						
205/75R17.5	124/122M	REGIONAL	KRD50	2175373	8808956140809	JA		E	C	73	1	DRIVE		O	30%	30%	80%	
205/75R17.5	124/122M	REGIONAL	KRS50	2175393	8808956140823			E	C	71	2	STEER						
215/75R17.5	126/124M	REGIONAL	KRD50	2176583	8808956143060	JA		E	C	73	1	DRIVE		O	30%	30%	80%	
215/75R17.5	126/124M	REGIONAL	KRS50	2176603	8808956143084			D	B	71	2	STEER						
225/75R17.5	129/127M	REGIONAL	KRD02	1637113	8808956035549	JA		E	B	76	2	DRIVE						
225/75R17.5	129/127M	REGIONAL	KRS50	2142473	8808956120788			D	B	71	2	STEER						
235/75R17.5	132/130M	REGIONAL	KRD02	1647813	8808956035631	JA		E	B	76	2	DRIVE						
235/75R17.5	132/130M	REGIONAL	KRS03	1660113	8808956031756			E	B	73	2	STEER						
265/70R17.5	138/136M	REGIONAL	KRS03	2105853	8808956094898			D	B	73	2	STEER						
19.5"																		
245/70R19.5	137/135M	REGIONAL	KRD50	2141483	8808956118297	JA		D	C	73	2	DRIVE						
245/70R19.5	137/135M	REGIONAL	KRS50	2138283	8808956117726			D	C	71	2	STEER						
265/70R19.5	140/138M	REGIONAL	KRD02	2235823	8808956240448	JA		E	B	76	2	DRIVE						
265/70R19.5	140/138M	REGIONAL	KRS50	2236023	8808956240646			D	C	71	2	STEER						
265/70R19.5	143/141J	MIXED SERVICE	KMA01	2235793	8808956240417	JA		D	B	70	1	ALL POSITION	O			100%	80%	
285/70R19.5	145/143M	REGIONAL	KRD02	2235883	8808956240509	JA		E	C	76	2	DRIVE						
285/70R19.5	145/143M	REGIONAL	KRS03	2235843	8808956240462			D	B	73	2	STEER						

Dimension	Betriebskennung	Einsatz	Profil	Artikel-Nr.	EAN	M+S					Achsposition	Förderfähig		Rollgeräusch (1 Schallwelle=30%)	Rollwiderstand (A=50%; B=40%; C=30%)	Zuwendungs- fähig, Kumuliert²	Förderung	
												nach 1.3	nach 1.9					
305/70R19.5	148/145M	REGIONAL	KRD02	1674913	8808956036300	JA		E	C	76	2	DRIVE						
305/70R19.5	148/145M	REGIONAL	KRS03	2235683	8808956240301			D	B	73	2	STEER						
22.5"																		
10 R22.5	141/139M	REGIONAL	KRS02	1649613	8808956031237			D	B	69	1	STEER		○	30%	30%	80%	
11 R22.5	148/145M	REGIONAL	KRS28	2206103	8808956164904			D	B	70	1	STEER		○	30%	30%	80%	
12 R22.5	152/148L	REGIONAL	KRD50	2134863	8808956113230	JA		E	C	73	2	DRIVE						
12 R22.5	152/148M	REGIONAL	KRS28	2204973	8808956164096			C	B	70	1	STEER		○	30%	30%	60%	80%
12 R22.5	152/148J	CONSTRUCTION	KFD04	2125613	8808956108250	JA		E	C	74	2	DRIVE						
12 R22.5	152/148K	MIXED SERVICE	KMA03	2159043	8808956132613	JA		D	B	71	2	ALL POSITION	○			100%	80%	
12 R22.5	152/148K	MIXED SERVICE	KMD01	1578413	8808956024291	JA		D	B	76	2	DRIVE						
13 R22.5	156/150K	MIXED SERVICE	KMD31	2236013	8808956240639	JA		E	B	74	2	DRIVE						
13 R22.5	156/150K	MIXED SERVICE	KMA11	2138173	8808956121624	JA		D	B	74	2	ALL POSITION	○			100%	80%	
13 R22.5	154/149K	CONSTRUCTION	KFD04	2126293	8808956109097	JA		D	B	74	2	DRIVE						
255/70R22.5	140/137M	REGIONAL	KRS02	1832413	8808956062026			D	B	69	1	STEER		○	30%	30%	80%	
275/70R22.5	148/145M	REGIONAL	KRD02	1670013	8808956035693	JA		E	B	76	2	DRIVE						
275/70R22.5	148/145M	REGIONAL	KRS03	1646013	8808956030698			D	B	73	2	STEER						
275/70R22.5	148/145M	REGIONAL	KRS03	2202233	8808956153793			D	B	73	2	STEER						
275/70R22.5	148/145J	COACH	KCA21	2158713	8808956132217	JA	JA	D	B	75	3	ALL POSITION	○			100%	80%	
275/80R22.5	149/146L	REGIONAL	KRS02	2144943	8808956121297			D	B	69	1	STEER		○	30%	30%	80%	
275/80R22.5	149/146J	COACH	KCA11	2116123	8808956100100	JA		C	C	71	2	ALL POSITION	○			100%	80%	
295/60R22.5	150/147K	LONG HAUL	KLS03	2116503	8808956104443			C	C	69	1	STEER		○	30%	30%	60%	80%
295/60R22.5	150/147K	LONG HAUL	KLD03	2116563	8808956104429	JA		D	C	73	2	DRIVE						
295/60R22.5	150/147K	REGIONAL	KRD50	2144403	8808956122218	JA	JA	D	C	73	2	DRIVE	○			100%	80%	
295/60R22.5	150/147K	REGIONAL	KRS03	1667013	8808956077396			C	B	73	2	STEER		○	30%	30%	80%	
295/80R22.5	152/148M	REGIONAL	KRD50	2141063	8808956117252	JA	JA	D	C	73	2	DRIVE	○			100%	80%	
295/80R22.5	152/148M	REGIONAL	KRS50	2158383	8808956131722			C	B	71	2	STEER		○	30%	30%	80%	
295/80R22.5	154/149M	REGIONAL	KRS50	2204953	8808956164072			D	B	71	2	STEER						
295/80R22.5	152/148M	REGIONAL	KRS28	2219053	8808956219956			C	B	70	1	STEER		○	30%	30%	60%	80%
295/80R22.5	152/148J	COACH	KCA11	2125023	8808956107307	JA		D	D	71	2	ALL POSITION	○			100%	80%	
295/80R22.5	152/148L	WINTER	KWD01	1828113	8808956063818	JA	JA	E	B	73	2	DRIVE	○			100%	80%	
295/80R22.5	152/148K	MIXED SERVICE	KMA01	1821813	8808956062224	JA		D	C	70	1	ALL POSITION	○			100%	80%	
305/70R22.5	152/148L	REGIONAL	KRD02	1627813	8808956029395	JA		E	B	76	2	DRIVE						
305/70R22.5	152/148L	REGIONAL	KRS03	1667113	8808956033415			D	B	73	2	STEER						
315/60R22.5	152/148L	REGIONAL	KRD50	2147043	8808956122157	JA	JA	D	B	73	2	DRIVE	○			100%	80%	
315/60R22.5	152/148L	REGIONAL	KRS03	2235693	8808956240318			C	B	73	2	STEER		○	30%	30%	80%	
315/60R22.5	152/148L	LONG HAUL	KLS03	2116493	8808956104481			C	B	69	1	STEER		○	30%	30%	60%	80%
315/60R22.5	152/148L	LONG HAUL	KLD03	2235913	8808956240530	JA		D	C	73	2	DRIVE						
315/70R22.5	154/150L	REGIONAL	KRD50	2213543	8808956213909	JA	JA	D	C	73	2	DRIVE	○			100%	80%	
315/70R22.5	154/150L	REGIONAL	KRS50	2204393	8808956163174			D	C	71	2	STEER						
315/70R22.5	154/150L	LONG HAUL	KLS03	2235903	8808956240523			C	B	69	1	STEER		○	30%	30%	60%	80%
315/70R22.5	154/150L	LONG HAUL	KLD03	2235923	8808956240547	JA		C	C	73	2	DRIVE		○	30%	30%	80%	
315/70R22.5	154/150L	WINTER	KWD01	2172113	8808956139186	JA	JA	E	C	74	2	DRIVE	○			100%	80%	
315/70R22.5	154/150L	WINTER	KWS01	2172133	8808956139209	JA	JA	E	C	72	2	STEER	○			100%	80%	
315/80R22.5	156/150L	REGIONAL/LONG HAUL	KXS10	2204723	8808956163808	JA	JA	D	C	74	2	STEER	○			100%	80%	
315/80R22.5	156/150L	REGIONAL/LONG HAUL	KXD10	2204943	8808956164065	JA	JA	D	C	76	2	DRIVE	○			100%	80%	
315/80R22.5	156/150L	REGIONAL	KRS50	2204603	8808956163464			C	C	71	2	STEER		○	30%	30%	80%	
315/80R22.5	156/150L	REGIONAL	KRD50	2141073	8808956117269	JA	JA	D	C	73	2	DRIVE	○			100%	80%	
315/80R22.5	156/150L	REGIONAL	KRS15	2109663	8808956102258							STEER						
315/80R22.5	156/151L	REGIONAL	KRS28	2125773	8808956108427			C	B	70	1	STEER		○	30%	30%	60%	80%
315/80R22.5	156/150L	LONG HAUL	KLD03	2235743	8808956240363	JA		C	C	73	2	DRIVE		○	30%	30%	80%	
315/80R22.5	156/150L	LONG HAUL	KLS03	1703913	8808956042639			C	B	69	1	STEER		○	30%	30%	60%	80%
315/80R22.5	156/150K	MIXED SERVICE	KMA03	2158443	8808956131784	JA		D	A	71	2	ALL POSITION	○			100%	80%	
315/80R22.5	156/150K	MIXED SERVICE	KMD01	2228913	8808956231767	JA		D	B	76	2	DRIVE						

Dimension	Betriebskennung	Einsatz	Profil	Artikel-Nr.	EAN	M+S					Achspannung	Förderfähig		Rollgeräusch (1 Schallwelle=30%)	Rollwiderstand (A=50%; B=40%; C=30%)	Zuwendungs- fähig, Kumuliert ²	Förderung	
												nach 1.3	nach 1.9					
315/80R22.5	156/150K	MIXED SERVICE	KMA03	2158453	8808956131791	JA										100%	80%	
315/80R22.5	154/150M	WINTER	KWD01	1828213	8808956063849	JA	JA									100%	80%	
315/80R22.5	156/150K	WINTER	KWS01	1561913	8808956022280	JA	JA									100%	80%	
385/55R22.5	160J	LONG HAUL	KLS03	2235813	8808956240431										30%	30%	60%	80%
385/55R22.5	160J	WINTER	KWS01	2144423	8808956136291	JA	JA									100%	80%	
385/65R22.5	160K	LONG HAUL	KLS03	2236043	8808956240660										30%	30%	60%	80%
385/65R22.5	160K	REGIONAL	KRS50	2144503	8808956120986										30%	30%	30%	80%
385/65R22.5	158L	LONG HAUL	KLA11	2213573	8808956213930	JA										100%	80%	
385/65R22.5	160K	MIXED SERVICE	KMA12	2116463	8808956103026	JA										100%	80%	
385/65R22.5	160K	LONG HAUL	KLA11	2213583	8808956213947	JA										100%	80%	
385/65R22.5	158L	MIXED SERVICE	KMA02	2235723	8808956240349	JA										100%	80%	
385/65R22.5	158L	WINTER	KWS01	2138213	8808956126988	JA	JA									100%	80%	
425/65R22.5	165K	MIXED SERVICE	KMA02	2109393	8808956093280	JA										100%	80%	
425/65R22.5	165K	LONG HAUL	KLA11	2138713	8808956117436	JA										100%	80%	
445/65R22.5	169K	MIXED SERVICE	KMA02	2109463	8808956099268	JA										100%	80%	
445/65R22.5	169K	LONG HAUL	KLA11	2141333	8808956117719	JA										100%	80%	

¹ Änderungen und Irrtümer vorbehalten

² Kumulierte, zuwendungsfähige Gesamtausgaben in %